

# DOME ENCLOSURES BRACKETS

- Indoor and outdoor installations
- Powder painted aluminium

## DBH01

Wall bracket for DBH45 dome. It is designed to take internal cables. Compatible with corner and pole adapters.

## DBH03

Ceiling bracket for DBH45 and DBH24 dome enclosures. It is designed to take internal cables.

## DBH04

Wall bracket for DBH24 dome enclosure. It is designed to take internal cables. Compatible with corner and pole adapters.

## DBH05



Bracket for DBH24 dome installation on parapet and over roofs. It is designed to take internal cables.

## DPTCH

Pole adapter compatible with DBH01 and DBH04 brackets.


## DCWGH

Corner adapter compatible with DBH01 and DBH04 brackets.




BRACKETS AND DOME ENCLOSURES CHART				
	WALL		CEILING	PARAPET
	DBH01	DBH04	DBH03	DBH05
<b>DOMES ENCLOSURES:</b>				
DBH45	•		•	
DBH24		•	•	•
<b>ADAPTERS:</b>				
DPTCH	•	•		
DCWGH	•	•		


DBH01




DBH04



DBH03




DBH05




The values are in millimeters.

**DPTCH+DBH01**



**DCWGH**



The values are in millimeters.

**TECHNICAL DATA**

**GENERAL**

**DBH01**

- Made of steel tube
- Painted with black epoxy polyester powder

**DBH03**

- Made of metallic tube
- Painted with black epoxy polyester powder
- 915 mm in length (36 in)

**DBH04**

- Made of steel tube
- Painted with black epoxy polyester powder

**DBH05**

- Made of metallic tube and steel
- Painted with black epoxy polyester powder

**DPTCH**

- Made of aluminium
- Painted with black epoxy polyester powder
- Compatible with DBH01 and DBH04

**DCWGH**

- Made of steel
- Painted with black epoxy polyester powder
- Compatible with DBH01 and DBH04

**MECHANICAL**

**DBH01**

- Enclosure attachment with a single screw
- Internal cable management

- Installation on walls or on modular adaptors
- Max load: 25 kg (55 lb)
- Length: 440 mm (17.3 in)

**DBH03**

- Enclosure attachment with a single screw
- Internal cable management
- Max load: 25 kg (55 lb)
- Length: 922 mm (36.2 in)

**DBH04**

- Enclosure attachment with a single screw
- Internal cable management
- Max load: 25 kg (55 lb)
- Length: 356 mm (14.1 in)

**DBH05**

- Installation over parapets
- Internal cable management
- Max load: 25 kg (55 lb)
- Length: 820 mm (32.2 in)

**DPTCH**


- Pole installation
- Pole diameters: 80 ÷ 150 mm (3.1 ÷ 5.9 in)

**DCWGH**

- Installation on corners
- Compatible with DBH01 and DBH04

**ENVIRONMENTS**

- Outdoor/Indoor

	<i>Unit Weight (kg / lb):</i>	<i>Package Weight (kg / lb):</i>	<i>Package Dimensions (cm / in):</i>	<i>Master Carton (units):</i>
	DBH01: 2,5 / 5.6	DBH01: 2,9 / 6.3	DBH01: 16x18,5x46 / 6.2x7.2x18.1	DBH01: 8
	DBH03: 2 / 4.4	DBH03: 2,6 / 5.7	DBH03: 9x19,5x105 / 3.5x7.6x41.3	DBH03: 1
	DBH04: 2,2 / 4.8	DBH04: 2,6 / 5.7	DBH04: 16x18,5x46 / 6.2x7.2x18.1	DBH04: 8
	DBH05: 5 / 11	DBH05: 6 / 13	DBH05: 7,5x51x76 / 2.9x20x29.9	DBH05: 1
	DPTCH: 2,5 / 5.6	DPTCH: 2,68 / 5.7	DPTCH: 20x25,5x13,5 / 7.8x10x5.3	DPTCH: 6
	DCWGH: 2,2 / 4.8	DCWGH: 2,6 / 5.7	DCWGH: 23,5x31,5x24,5 / 9.2x12.4x9.6	DCWGH: 6